Adirondack Park Invasive Plant Program (APIPP)
518.576.2082 x 131 . PO Box 65 . Keene Valley . New York . 12943 . www.adkinvasives.com

FIFRA 2(ee) Recommendation for the Control of Burning Bush, Japanese Barberry and Porcelain Berry

ACCEPTED

April 24, 2015

New York State Department
of Environmental Conservation
Division of Materials Management
Pesticide Product Registration

Garlon 4 Ultra (EPA Reg. No. 62719-527)

Classified for
"RESTRICTED USE"
in New York State
under 6NYCRR Part 326

Doc id: 541970

Directions for Use

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- This recommendation must be in the possession of the user at the time of pesticide application.
- Follow all applicable directions, restrictions, and precautions on the product label.
- For control of burning bush, Japanese barberry and porcelain berry, applications can be made at all sites listed on the Garlon 4 Ultra product label.
- For best results, applications should be made during periods of active growth.
- Follow all applicable maximum seasonal and per application use rate limits for each use site listed on the Garlon 4 Ultra product label.

Foliar Application

- Burning Bush and Japanese Barberry:
  - Apply a 1-2% solution of Garlon 4 Ultra as a spray-to-wet application.
- Porcelain Berry:
  - Apply a 1-3% solution of Garlon 4 Ultra as a spray-to-wet application.

Basal Bark Application

- Apply a 20-30% solution of Garlon 4 Ultra as a spray to the basal parts of brush and tree trunks to a height of 12 to 15 inches from the ground in a manner that thoroughly wets the lower stems, including the root collar area, but not to the point of runoff.

Cut Stump Treatment

- Apply a 20-30% solution of Garlon 4 Ultra as a spray to the root collar area, sides of the stump, and the outer portion of the cut surface, including the cambium, until thoroughly wet, but not to the point of runoff.