

Garlon 4 Ultra

EPA Reg. No. 62719-527

FIFRA 2(ee) Recommendation for the Control of Castor Aralia (*Kalopanax septemlobus*)

Directions for Use

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- This recommendation must be in the possession of the user at the time of pesticide application.
- Follow all applicable directions, restrictions, and precautions on the product label.
- For control of castor aralia, applications can be made at all sites listed on the Garlon 4 Ultra product label.
- For best results, applications should be made during periods of active growth.
- Follow all applicable maximum seasonal and per application use rate limits for each use site listed on the Garlon 4 Ultra product label.

Foliar Application

- For foliar application, apply a 3.3% solution of Garlon 4 Ultra as a spray-to-wet application.

Basal Bark Application

- Apply a 41.35% solution of Garlon 4 Ultra (equivalent to 25% triclopyr ester) as a spray to the basal parts of brush and tree trunks to a height of 12 to 15 inches from the ground in a manner that thoroughly wets the lower stems, including the root collar area, but not to the point of runoff.

Cut Stump Treatment

- Apply a 41.35% solution of Garlon 4 Ultra (equivalent to 25% triclopyr ester) with a backpack or knapsack sprayer using low pressure and a solid cone or flat fan nozzle. Spray the root collar area, sides of the stump, and the outer portion of the cut surface, including the cambium, until thoroughly wet, but not to the point of runoff.